

## REFERÊNCIAS

- ADAMS, A. E; MACKENZIE, W. S. Cathodoluminescence. In: *A colour Atlas of carbonate sediments and rocks under the microscope*. London: Manson Publishing, 1998. p. 168-176.
- ANDRADE, E. de J; SEELING, J. *Os fósseis da Bacia de Sergipe-Alagoas: Os Moluscos Bivalves*. Disponível em: [http://www.phoenix.org.br/Phoenix18\\_Jun00.html](http://www.phoenix.org.br/Phoenix18_Jun00.html). Acesso em: nov 2010.
- ARMSTRONG, H.A; BRASIER M.D. *Microfossils*. [S.l.]: Blackwell Publishing, 2005. 296 p.
- AZEVEDO, R.L.M. Paleocanografia e a Evolução do Atlântico Sul no Albiano. *Boletim de Geociências da Petrobrás*, Rio de Janeiro, v. 12, n. 2, p. 231-249. 2004.
- BADIOZOMANI, K. The Dorag dolomitization model-application to the Middle Ordovician of Wisconsin. *Journal of Sedimentary Petrology*, v. 43, p. 965-984. 1973.
- BANDEIRA, J.R. Sedimentologia e microfácies calcárias das Formações Riachuelo e Cotinguiba da Bacia de Sergipe-Alagoas. *Boletim Técnico da Petrobrás*, v. 21, p. 17-69. 1978.
- BASSETTO, M; ALKMIM, F.F; SZATMARI, P; MOHRIAK, W.U. The oceanic segment of the southern brazilian margin: Morpho-structural domains and their tectonic significance. In: MOHRIAK, W. U.; TALWANI, M. (Ed.). *Atlantic Rifts and Continental Margins*. [S.l.]: American Geophysical Union, 2000. p. 235-259.
- BENGTSON, P; BERTHOU, P.-Y. Microfossiles et échinodermes incertae sedis des dépôts albiens à coniaciens du bassin de Sergipe-Alagoas, Brésil. *Micropalontologie*, v. 3, p. 13-22. 1982.
- BENITO, M.I. *Estudio comparativo de la evolución sedimentaria y diagenética de los litosomas arrecifales (pré-rifting) de la Cuenca de Cameros (Kimmeridgiense), La Rioja-Soria*. 2001. 418 p. Tese (Doutorado em Geologia) - Universidad Complutense Madrid, Madrid, 2001.
- BENITO, M.I; MAS, R. Diagenetic evolution of the reefal carbonates of the Torrecilla in Cameros Formation and overlying continental carbonates (Early Kimmeridgian-Tithonian) in the Soria sector. Cameros Basin, N. Spain. *Journal of Iberian Geology*, v. 28, p. 65-92. 2007.
- BERTHOU, P.-Y; BENGTSON, P. Stratigraphic correlation by microfacies of the Cenomanian-Coniacian of the Sergipe Basin, Brazil. *Fossils and Strata*, v. 21, p. 1-88. 1988.
- BOGGS, S; KRINSLEY, D. *Application of cathodoluminescence imaging to the study of sedimentary rocks*. [S.l.]: Cambridge University, 2006. 175 p.
- BRITO NEVES, B.B. Main stages of the development of the sedimentary basins of South America and their relationship with the tectonics of supercontinents. *Gondwana Research*, v. 5, p. 175-196. 2002.

BUENO, G.V. Diacronismo de eventos no rifte Sul-Atlântico. *Boletim de Geociências da Petrobrás*, Rio de Janeiro, v. 12, n. 2, p. 203-229. 2004.

CALDEIRA, K; RAMPINO, M.R. The mid-Cretaceous super plume, carbon dioxide, and global warming. *Geophysical Research Letters*, [S.l.], v. 18, n. 6, p. 987-990. 1991.

CAINELLI, C; BABINSKI, N.A; SANTOS, R.C.R; UESUGUI, N. (1987). Sedimentos albosantonianos da Bacia Sergipe-Alagoas: Ambientes de sedimentação e perspectivas petrolíferas. *Revista Brasileira de Geociências*, Curitiba, v.17, n.2, p. 135-138. 1987.

CAINELLI, C; MOHRIAK, W.U. Some remarks on the evolution of sedimentary basin along the eastern brazilian continental margin. *Episodes*, [S.l.], v. 22, n.3, p. 206-216. 1999.

CAMPOS NETO, O.P; SOUZA LIMA, W; CRUZ, F.E.G. Bacia de Sergipe Alagoas. *Boletim de Geociências da Petrobrás*, Rio de Janeiro, v. 15, n.2, p.405-415. 2007.

CAROZZI, A.V; FLAKENHEIM, F.U.H; FRANKE, M.R. Depositional environment, diagenesis and reservoir properties of oncologic packstones, Macae Formation (Albian-Cenomanian) Campos Basin, offshore Rio de Janeiro, Brazil. In: PERYT, T. (Ed). *Coated grains*. [S.l.]: Springer, 1983. p. 330–343.

CARPENTIER, C; LATHUILLÈRE, B; FERRY, S; SAUSSE, J. Sequence stratigraphy and tectosedimentary history of the Upper Jurassic of the eastern Paris Basin (Lower and Middle Oxfordian, northeastern France). *Sedimentary Geology*, v.197, p. 235-266. 2007.

CARVALHO, M.A; FILHO, J.G.M; MENEZES, T.R. Palynofacies and sequence stratigraphy of the Aptian–Albian of the Sergipe Basin, Brazil. *Sedimentary Geology*, [S.l.], v.192, p. 57–74. 2006.

CASSAB, R.C.T. *Os fósseis da Bacia de Sergipe-Alagoas: Os Gastrópodes*. Disponível em: [http://www.phoenix.org.br/Phoenix20\\_Ago00.html](http://www.phoenix.org.br/Phoenix20_Ago00.html). Acesso em: fev 2008.

CHANG, H.K; KOWSMANN, R.O. Interpretação genética das seqüências estratigráficas das bacias da margem continental brasileira. *Revista Brasileira de Geociências*, Curitiba, v.17, p. 74-80. 1987.

CHANG, H.K; KOWSMANN, R.O; FIGUEIREDO, A.M.F. New concepts on the development of east brazilian marginal basins. *Episodes*, [S.l.], v.11, n.3, p.194-202. 1988.

DE CASTRO, P. *Le Alveoline Aptiano-Cenomaniane del Mediterraneo Centrale e Orientale: Sintesi e Problemi*. Napoli: Tip. Giannini, 1980. 86 p. Convênio organizado no âmbito do programa Avenimenti del Cretaceo médio.

DIAS-BRITO, D. A Bacia de Campos no Meso-cretáceo – Uma Contribuição a Paleoceanografia do Atlântico Sul Primitivo. *Revista Brasileira de Geociências*, Curitiba, v. 17, p. 162-167. 1987.

- DIAS-BRITO, D. Global stratigraphy, palaeobiogeography and palaeoecology of Albian-Maastrichtian pithonellid calcispheres: impact on Tethys configuration. *Cretaceous Research*, [S.l.], v. 21, p. 315-349. 2000.
- DIAS, J.L. Tectônica, estratigrafia e sedimentação no andar Aptiano da margem leste brasileira. *Boletim de Geociências da Petrobrás*, Rio de Janeiro, v. 13, n. 1, p. 7-25. 2004.
- DIAS, J.L. Estratigrafia e Sedimentação dos Evaporitos Neo-Aptianos na Margem Leste Brasileira. In: MOHRIAK, W., SZATMARI, P e ANJOS, S.M.C (Ed). *Sal: Geologia e Tectônica*. Rio de Janeiro: Petrobras, 2009. p. 223-231.
- DIAS, J.L. Estratigrafia e Sedimentação dos Evaporitos Neo-Aptianos na Margem Leste Brasileira. In: MOHRIAK, W.; SZATMARI, P.; ANJOS, S.M.C (Ed.). *Sal: Geologia e Tectônica*. São Paulo: Beca Ed., 2009. p. 223-231.
- DONNADIEU, Y; PIERREHUMBERT, R; JACOB, R; FLUTEAU, F. Modelling the Primary Control of Paleogeography on Cretaceous Climate. *Earth and Planetary Science Letters*, Amsterdam, v, 248, n.1-2, p. 426-437. 2006.
- DOYLE, P. Understanding Fossils. *An Introduction to Invertebrate Paleontology*. [S.l.]: John Wiley & Sons, 1997. 409 p.
- EMBRY, AF; KLOVAN, JE. A Late Devonian reef tract on Northeastern Banks Island. *Canadian Petroleum Geology Bulletin*, [S.l.], v. 19, p. 730-781. 1971.
- ERBA, E; BARTOLINI, A; LARSON, R.L. Valanginian Weissert Oceanic Anoxic Event. *Geology*, [S.l.], v.32, n. 2, p. 149-152. 2004.
- EVANS, R. Origin and Significance of Evaporites in Basins around Atlantic Margin. *AAPG Bulletin*, Tulsa, v. 62. 1978.
- FAIRCHILD, I; HENDRY, G; QUEST, M; TUCKER, M. Chemical Analysis of Sedimentary Rocks. In: TUCKER, M. (Ed.). *Techniques in Sedimentology*. Oxford: Blackwell Scientific Publications, 1988. p. 274-354.
- FEIJÓ, F.J. Bacias de Sergipe e Alagoas. *Boletim de Geociências da Petrobras*, Rio de Janeiro, v. 8, n. 1, p. 49-161. 1994.
- FEIJO, F.J. O Início da Livre Circulação das Águas do Oceano Atlântico. *Boletim de Geociências da Petrobras*, Rio de Janeiro, v. 10, n,1/4, p. 157-164. 1996.
- FERRÉ, B; WALTER, S; BENGTON, P. Roveacrinids in mid-Cretaceous Biostratigraphy of the Sergipe Basin, northeastern Brazil. *Journal of South American Earth Sciences*, [S.l.], v. 19, p. 259-272. 2005.
- FLÜGEL, E. *Microfacies of carbonates rocks*. [S.l.]: Springer-Verlag, 2004. 976 p.

FOLK, R.L. Practical petrographic classification of limestones. *AAPG Bulletin*, Tulsa, v. 43, p. 1-38. 1959.

FORD, D; GOLONKA, J. Phanerozoic paleogeography, paleoenvironment and lithofacies maps of the circum-Atlantic margins. *Marine and Petroleum Geology*, [S.l.], v. 20, p. 249–285. 2003.

GNAUCK, P; GREISER, J. A New Approach to Materials Characterisation Using Low Pressure and Low Voltage Field Emission Scanning Electron Microscopy, *DUM-Bericht*, Muhlheim, v. 519, p. 89-96, 2000.

GOODWIN, P;W; ANDERSON, E.J. Punctuated Aggradational Cycles: A General Hypothesis of Episodic Stratigraphic Accumulation. *The Journal of Geology*, [S.l.], v. 93, p. 515-533. 1985.

GRANIER, B; BERTHOU, P.Y; POIGNANT, A.F. Constructions Bio-sédimentaires Laminées, *Lithothamnium* et *Parachaetetes* de la Formation Riachuelo (Albien) du bassin de Sergipe (Nord-Est du Brésil). *Geociências*, São Paulo, v. 10, p. 169-181. 1991.

GRANIER, B; DIAS-BRITO, D; BUCUR, I.I. Calcareous Algae from Upper Albian – Cenomanian strata of the Potiguar basin (NE Brazil). *Geologia Croatica*, [S.l.], v. 61, n. 2-3, p. 139-147. 2008.

GREGG, J.M; SIBLEY, D.F. Epigenetic Dolomitization and the Origin of Xenotopic Dolomite Texture. *Journal of Sedimentary Geology*, [S.l.], v. 54, n.3, p. 908-931. 1984.

HAY, W.W; DeCONTO, R. M; WOLD, C. N; WILSON, K. M; VOIGT, S; SCHULZ, M; WOLD-ROSSBY, A; DULLO, W.-C; RONO, A. B; BALUKHOVSKY, A. N; SÖDING, E. Alternative global Cretaceous paleogeography. In: BARRERA, E; JOHNSON, C. C (Ed). *Evolution of the Cretaceous Ocean-Climate System*. [S.l.]: Geological Society of America Special Paper, 1999. 332 p.

HAY, W.W. Evolving Ideas About the Cretaceous Climate and Ocean Circulation. *Cretaceous Research*, [S.l.], v. 29, p.725-753. 2008.

HOEFS, J. *Stable isotope geochemistry*. [S.l.]: Springer-Verlag, Berlin, 2009. 285 p.

IBA, Y; SANO, S. Mid-Cretaceous Step-wise Demise of the Carbonate Platform Biota in the Northwest Pacific and Establishment of the North Pacific Biotic Province. *Palaeogeography, Palaeoclimatology, Palaeoecology*, [S.l.], v. 245, p. 462–482. 2007.

JOHNSON, C.C. Cretaceous Reef Ecosystems and Environmental Associations. In: ANNUAL MEETING OF THE NORTH-CENTRAL SECTION OF THE GEOLOGICAL SOCIETY OF AMERICA, 38., 2004, Halifax. Anais...Halifax, 2004.

KELLER, G. Cretaceous Climate, Volcanism, Impacts, and Biotic Effects. *Cretaceous Research*, [S.l.], v. 29, p. 754-771. 2008.

KOUTSOUKOS, E.A.M. *Mid-to Late Cretaceous Microbiostratigraphy, Paleocology and Paleogeography of the Sergipe basin, northeastern Brazil*. 1989. 680 p. Tese (Doutorado) - Polytechnic South West Plymouth England, 1989.

KOUTSOUKOS, E.A.M; MELLO, M.R; AZAMBUJA FILHO, N.C; HART, M.B; MAXWELL, J.R. The upper Aptian-Albian succession of the Sergipe Basin, Brazil: an integrated paleoenvironmental assessment. *AAPG Bulletin*, Tulsa, v. 73, n. 3, p. 479-498. 1991.

KOUTSOUKOS, E. A. M. Late Aptian to Maastrichtian Foraminiferal Biogeography and Palaeoceanography of the Sergipe Basin, Brazil. *Palaeogeography, Palaeoclimatology, Palaeoecology*, [S.l.], v. 92, n. 3/4, p. 295-324. 1992.

KOUTSOUKOS, E. A. M; AZAMBUJA FILHO, N.C; SPADINI, A.R; DESTRO, N. Upper Aptian – Lower Coniacian carbonate sequences in the Sergipe Basin, northeastern Brazil. In: SIMO, T.; SCOTT, R.W.; MASSE, J.P. (Ed). *Cretaceous carbonate platforms*. Tulsa: AAPG, 1993. p. 127-143 (AAPG Memoir, n. 56).

KOUTSOUKOS E. A. M. *Palaeoenvironmental Analysis of the Upper Cenomanian and Lower Turonian Limestone beds in the Sergipe Basin, Northeastern Brazil, Based on Microfacies Analysis, Micropalaeontology, and Stable Isotopes*. 2000. 142 p. Tese (Pós doutorado) - Ruprecht-Karls-Universität, 2000.

KRINSLEY, D. H; PYE, K; BOGGS, S Jr; TOVEY, N.K *Backscattered Electron Microscopy and Image Analysis of Sediments and Sedimentary Rocks*. [S.l.]: Cambridge, Cambridge University Press, 1998. 193 P.

LANA, M.C. Bacia de Sergipe-Alagoas: uma hipótese de evolução tectono-sedimentar. In: RAJA GABAGLIA, G.P. e MILANI, E.J (Ed). *Origem e Evolução de Bacias Sedimentares*. Rio de Janeiro: PETROBRÁS, 1990. p. 311-332.

LARSON, R. Latest pulse of Earth: Evidence for a mid-Cretaceous Superplume. *Geology*, [S.l.], v. 19, p. 547-550. 1991.

LOHMANN, K.C. Geochemical Patterns of Meteoric Diagenetic Systems and their Application to Studies of Paleokarst. In: JAMES, N.P.; CHOQUETTE.; P.W. (Ed). *Paleokarst*. [S.l.]: Springer-Verlag, 1987. p. 58-80.

LONGMAN, M. W. Carbonate Diagenetic Textures from Nearsurface Diagenetic Environments. *AAPG Bulletin, Tulsa*, v. 64, n. 4, p 461-487. 1980.

LUCIA, J. *Carbonate reservoir characterization*. [S.l.]: Springer, Austin-Texas, 2007. 336 p. (2007).

- LUDVIGSON, G.A. *Global Climate Change and the Cretaceous Greenhouse World*. The Iowa Department of Natural Resources. Disponível em: <http://www.igsb.uiowa.edu/inforsch/greenhse/grnhouse.htm>. Acesso em: out 2008.
- MACHEL, H.G. Cathodoluminescence in Calcite and Dolomite and its Chemical Interpretation. *Geoscience Canada*, v. 12, p. 139-147. 1985.
- MACHEL, H.G. Investigations of Burial Diagenesis in Carbonate Hydrocarbon Reservoir rocks. *Journal of the Geological Association of Canada*, [S.l.], v. 32, n. 3. 2005.
- MACHEL, H.G; BURTON, E. Factors Governing Cathodoluminescence in Calcite and Dolomite and their Implications for Studies of Carbonate Diagenesis. In: BARKER, CH.E.; KOPP, O.C. (Ed). *Luminiscence microscopy and Spectroscopy: Qualitative and Quantitative Applications*. SEPM Short Course, p. 37-58. 1991.
- MALIVA, R.G; BUDD, D.A; EDWARD; CLAYTON, A; MISSIMER, T.M; DICKSON, J.A.D. Insights into the Dolomitization Process and Porosity Modification in Sucrosic Dolostones, Avon Park Formation (Middle Eocene), East-Central Florida, U.S.A. *Journal of Sedimentary Research*, [S.l.], v. 81, p. 218-232. 2011.
- MANSO, C.L.C; SOUZA-LIMA, W. Os Equinóides (Echinodermata: Echinoidea) Como Indicadores de Ambientes Depositionais na Sub-bacia de Sergipe, Brasil. PALEO 2002 NORDESTE. ARACAJÚ-SERGIPE, 2003, Aracaju. *Anais...Aracaju*. 2003.
- MANSO, C.L.C; SOUZA-LIMA, W. Os equinóides *Pygorhynchus colombianus* (Cook, 1955) e *Pseudholaster altiusculus* (White, 1887) no Neolábano da Bacia de Sergipe, Brasil. *Revista Brasileira de Paleontologia*, [S.l.], v. 8, n. 3, p. 229-238. 2005.
- MARSHALL, D.J. *Cathodoluminescence of geological materials*. [S.l.]: Unwin Hyman, 1998. 138 p.
- MARSHALL, J.D. Climatic and Oceanographic Isotopic Signals from the Carbonate Rock Record and their Preservation. *Geological Magazine*, [S.l.], v. 129, p. 143-160. 1992.
- MAZZULLO, J. *Overview of Porosity Evolution in Carbonate Reservoirs*. Disponível em <http://www.searchanddiscovery.com/documents/2004/mazzullo/index.htm>. Acesso em: jan 2004.
- MCKENZIE, J.A; VASCONCELOS, C. Dolomite Mountains and the Origin of the Dolomite Rock of which they mainly consist: Historical Developments and New Perspectives. *Sedimentology*, v. 56, p. 205-219. 2009.
- MENDES, J.M.C. Análise da Ciclicidade Impressa no Registro Sedimentar da Seção Neo-Aptiana/Eocenomaniana (Fm. Riachuelo) na Bacia de Sergipe-Alagoas. *Revista Brasileira de Geociências*, [S.l.], n. 35, p. 107 -114. 2005.
- MILLER, J. Cathodoluminescence microscopy. In: TUCKER, M.E. (Ed.). *Techniques in Sedimentology*: [S.l.]: Blackwell, 1988. p. 174-190.

MOHRIAK, W.U; BASSETTO, M; VIEIRA, I.S. Crustal Architecture and Tectonic Evolution of the Sergipe-Alagoas and Jacuípe basins, Offshore Northeastern Brazil. *Tectonophysics*, [S. l.], n. 288, p. 199 - 220. 1998.

MOHRIAK, W.A. Bacias Sedimentares da Margem Continental Brasileira. In: GEOLOGIA, Tectônica e Recursos Minerais do Brasil. Rio de Janeiro: CPRM, 2003. p. 87-165.

MOLDOVANYI, E.V; LOHMANN, K.C. Isotopic and Petrographic Record of Phreatic Diagenesis: Lower Cretaceous Sligo and Cupido Formations. *Journal of Sedimentary Petrology*, [S. l.], v. 54, n. 3, p. 972-985. 1984.

MOORE, C. H; DRUCKMAN Y. Burial Diagenesis and Porosity Evolution, Upper Jurassic Smackover, Arkansas and Louisiana. *AAPG Bulletin*, Tulsa, n. 65, p. 597-628. 1981.

MOORE, C. *Carbonate diagenesis and porosity*. [S.l.]: Elsevier, USA, 1989. 338 p.

MORROW, D. W. Diagenesis 1: Dolomite-part 1, The Chemistry of Dolomite Precipitation. In: MCILREATH, I.; MORROW, D. (Ed). *Diagenesis*. [S.l.]: Geoscience Canada Reprint Series 4, 1990. p. 113-124.

MOULIN, M; ASLANIAN, D; UNTERNER, P. A new starting point for the South and Equatorial Atlantic Ocean. *Earth Science Reviews*, [S. l.], n. 98, p. 1–37. 2010.

NADER, F.H; SWENNEN, R; KEPPENS, E. Calcitization/Dedolomitization of Jurassic Dolostones (Lebanon): Results from Petrographic and Sequential Geochemical Analyses. *Sedimentology*, [S. l.], n. 55, p. 1467–1485. 2008.

NAVARRO, V. *Las Plataformas del Jurásico Medio en un Sector del Subbético Central*. 2009. 477 p. Tese (Doutorado) - Universidad de Jaen, Jaen, 2009.

NÉRAUDEAU, D; MATHEY, B. Biogeography and Diversity of South Atlantic Cretaceous Echinoids: Implications for Circulation Pattern. *Palaeogeography, Palaeoclimatology, Palaeoecology*, [S. l.], v. 156, n. 1-2, p. 71–88. 2000.

PALAGI, P.R. Evaporitos no Brasil e na América do Sul. In: MOHRIAK, W.; SZATMARI, P.; ANJOS, S.M.C. (Ed). *Sal: Geologia e Tectônica*. [S.l.]: Petrobrás, 2009. p. 188-207.

PLUMLEY, W.J; RISLEY, G.A; GRAVES, R.W; KALEY, M.E. Energy Index for Limestone Interpretation and Classification, In: HOM, W.E. (Ed.). *Classification of Carbonate Rocks*. Tulsa: AAPG, 1962. p. 85-107.

QING, H; BOSENCE, D.W.J EDWARD P. F. ROSE, E.P.F. Dolomitization by Penesaline Sea Water in Early Jurassic Peritidal Platform Carbonates, Gibraltar, Western Mediterranean. *Sedimentology*, [S. l.], n. 48, p. 153-163. 2001.

RONCHI, P; JADOUL, F; CERIANI, A; DI GIULIO, A; SCOTTI, P; ORTENZI, A; MASSARA, E.P. Multistage Dolomitization and Distribution of Dolomitized Bodies in Early

Jurassic Carbonate Platforms (Southern Alps, Italy). *Sedimentology*, [S. l.], v. 58, p. 532–565. 2011.

ROBAINA, L.S.S; FORMOSO, M.L.L; SPADINI, A.R. Carbonatos Reservatório da Formação Macaé, Bacia de Campos, RJ, Brasil. *Geochimica Brasiliensis*, [S. l.], n. 5, p. 69-78. 1991.

SALLER, A.H; HENDERSON, N. Distribution of Porosity and Permeability in Platform Dolomites: Insight from the Permian of West Texas. *AAPG Bulletin, Tulsa*, v. 82, n.8, p. 1528–1550. 1998.

SCARPARO CUNHA, A.A; KOUTSOUKOS, E.A.M. Orbital cyclicity in a Turonian Sequence of the Cotinguiba Formation, Sergipe Basin, NE Brazil. *Cretaceous Research*, [S. l.], n. 22, p. 529–548. 2001.

SCARPARO CUNHA, A.A; KOUTSOUKOS, E.A.M. Calcareous Nannofossils and Planktic Foraminifers in the Upper Aptian of the Sergipe Basin, Northeastern Brazil: palaeoecological inferences. *Palaeogeography, Palaeoclimatology, Palaeoecology*, [S. l.], v. 142, p. 175-184. 1998.

SCHALLER, H. Revisão Estratigráfica da Bacia de Sergipe/Alagoas. *Boletim Técnico da Petrobras*, Rio de Janeiro, v. 12, n. 1, p. 1-65. 1969.

SCHLAGER, W. *Carbonate Sedimentology and Sequence Stratigraphy*. Tulsa: SEPM, 2005. 209 p. (SEPM Concepts Sedimentology and . Paleontology, n. 8).

SCHOLLE, P.A & SCHOLLE D.S. *A Color Guide to the Petrography of Carbonate Rocks: Grains, textures, porosity, diagenesis*: Tulsa: AAPG, 2003. 474 p. (AAPG Memoir 77).

SCOFFIN, T.P. *An introduction to carbonate sediments and rocks*. [S.l.]: Blackie, Glasgow, 1987. 234 p.

SCOTT, R. Global Environmental Controls on Cretaceous Reefal Ecosystems. *Paleogeography, Paleoclimatology, Paleoecology*, [S. l.], v. 119, p. 187-199. 1995.

SEELING, J, BEGTSON, P. Cenomanian Oysters from the Sergipe Basin. *Cretaceous research*, [S. l.], v. 20, p. 747-765. 1999.

SIMO, J.A; SCOTT, R.W; MASSE, J.P. *Cretaceous Carbonate Platforms: An overview*. Tulsa: AAPG, 1993. p. 1-14 (AAPG Memoir 56).

SMITH, A.B; BENGTON, P. Cretaceous Echinoids from Northeastern Brazil. *Fossils and Strata*, [S. l.], v. 31, p.1-88. 1991.

SOMOZA, R; ZAFFARANA, C.B. Mid-Cretaceous Polar Standstill of South America, Motion of the Atlantic Hotspots and the Birth of the Andean cordillera. *Earth and Planetary Science Letters*, [S. l.], v. 271, p. 267-277. 2008.



- SOUZA-LIMA, W. Sequências Evaporíticas da Bacia de Sergipe-Alagoas. In: MOHRIAK, W.; SZATMARI, P.; ANJOS, S.M.C. (Ed). *Sal: Geologia e Tectônica*. [S.l.]: Petrobrás, 2009. p. 233-251. 2009.
- SZATMARI, P; FRANÇOLIN, J. B. L; ZANOTTO, O; WOLFF, S. Evolução Tectônica da Margem Equatorial Brasileira. *Revista Brasileira de Geociências*, Curitiba, v. 17, p. 180–188. 1987.
- TAKAKI, T; RODRIGUES, R. Isótopos estáveis do carbono e oxigênio dos calcários como indicadores paleoambientais- bacias de Campos, Santos e Espírito Santo. In: CONGRESSO BRASILEIRO DE GEOLOGIA, 33., 1984, Rio de Janeiro. *Proceedings...*Rio de Janeiro: SBG, 1984. p. 4750-4762.
- TERRA, G.J.S. *Facies, Modelo deposicional e Diagênese da Sequência Carbonática albo-cenomaniana (Formação Ponta do Mel) da Bacia Potiguar*. 1990. 153 p. Dissertação (Mestrado) - Instituto de Geociências, Universidade Federal do Rio de Janeiro, Rio de Janeiro, 1990.
- TERRA, G.J.S., LEMOS, V.B. Algas solenoporáceas do Albo-Cenomaniano das Bacias do Nordeste do Brasil – Implicações Paleoecológicas e Paleobiogeográficas. In: SIMPÓSIO SOBRE O CRETÁCEO DO BRASIL, 5., 1999, Serra Negra –SP. *Boletim do 5º Simpósio sobre o Cretáceo do Brasil*. Serra Negra: UNESP, 1999.p. 23-28.
- THOMAZ-FILHO, A; MIZUSAKI, A. M. P; MILANI, E.J; CESERO, P. Rifting and magmatism associated with the South America and Africa break up. *Revista Brasileira de Geociências*, Curitiba, v. 30, n. 1, p. 17-19. 2000.
- THOMAZ-FILHO, A; MIZUSAKI, A.M.P; ANTONIOLI, L. Magmatismo nas Bacias Sedimentares Brasileiras e sua Influência na Geologia do Petróleo. *Revista Brasileira de Geociências*, Curitiba, v. 38, n. 2, p.128-137. 2008.
- TIBANA, P; TERRA, G.J.S. Sequências carbonáticas do Cretáceo na Bacia Potiguar. – *Boletim Técnico da Petrobrás*, Rio de Janeiro, v. 24, n. 3, p. 174–183. 1981.
- TORSVIK, T.H; ROUSSE, S; LABAILS, C; SMETHURST, M.A. A New Scheme for the Opening of the South Atlantic Ocean and the Dissection of an Aptian salt basin. *Geophysical Journal International*, [S. l.], v. 177, p. 1315–1333. 2009.
- TURBAY, C.V.G. *Estudo Paleoambiental dos Carbonatos do Albiano Superior na Bacia de Sergipe – Uma Abordagem Microfaciológica*. 2002. 120 p. Dissertação (Mestrado) - Faculdade de Geologia, Universidade do Estado do Rio de Janeiro, Rio de Janeiro, 2002.
- TUCKER, M.E; WRIGHT, P. *Carbonate Sedimentology and Diagenesis*. [S.l.]: Blackwells, Oxford, 1990. 482 p.
- TUCKER, M.E. *Sedimentary Petrology: An Introduction to the Origin of Sedimentary Rocks*. [S.l.]: Blackwell Sci. Publ, Oxford, 2001. 262 p.
- TUCKER, M.E. *Sedimentary Rocks in the Field*. [S. l.]: West Sussex, England, 2003. 234 p.

UESUGUI, N. Posição Estratigráfica dos Evaporitos da Bacia de Sergipe-Alagoas. *Revista Brasileira de Geociências*, Curitiba, v. 17, n. 2, p. 131 -134. 1987.

VEIZER, J; ALA, D; AZMY, K; BRUCHSCHEN, P; BUHL, D; BRUHN, F; CARDEN, G.A.F; DIENER, A; EBNETH, S; GODDERIS, Y; JASPER, T; KORT, C; PAWELLEK, F; PODLAHA, O.G; STRAUSS, H.  $^{87}\text{Sr}/^{86}\text{Sr}$ ,  $\delta^{13}\text{C}$  and  $\delta^{18}\text{O}$  Evolution of Phanerozoic Seawater. *Chemical Geology*, [S. l.], v. 162, p. 59-88. 1999.

VIVIERS, M.C; KOUTSOUKOS, E.A.M; DA SILVA-TELLES, A.C; BENGTON, P. Stratigraphy and Biogeographic Affinities of the late Aptian–Campanian Ostracods of the Potiguar and Sergipe basins in northeastern Brazil. *Cretaceous Research*, [S. l.], v. 21, p. 407-455. 2000.

VUILLEMIN, A; MAPATHE, N; ROSSANA, M; DAVAUD, E. Cement Stratigraphy: Image Probes of Cathodoluminescent Facies. *Swiss Journal of Geosciences*, [S. l.], v. 104, n. 1, p 55-66. 2011.

WAHLMAN, G.P. Reflux Dolomite Crystal Size Variations in Cyclic Inner Ramp Reservoir Facies, Bromide Fm (Ordovician) Arkoma Basin, Southeastern Oklahoma. *The Sedimentary Record*, [S. l.], v. 8, n. 3, p. 4-9. 2010.

WALTER, S; HERRMANN A.D; BENGTON. P. Stratigraphy and Facies Analysis of the Cenomanian–Turonian Boundary Succession in the Japarutuba Area, Sergipe Basin, Brazil. *Journal of South American Earth Sciences*, [S. l.], v. 19, p. 273-283. 2005.

WARREN, J. Dolomite: Occurrence, Evolution and Economically Important Associations. *Earth-Science Reviews*, [S. l.], v. 52, n. 1-3, p. 1-81, 2000.

WEISSERT, H; LINI, A. Ice Age Interludes During the Time of Cretaceous Greenhouse climate? In: MULLER, D. W.; MC KENZIE, J. A.; WEISSERT, H. (Ed.). *Controversies in Modern Geology*. San Diego: Academic Press, 1991. p. 173-191

WEISSERT, H; JOACHIMSKI M; SARNTHEIN, M. Chemostratigraphy. *Newsl. Stratigr*, Berlin, v. 42, n. 3, p. 145–179. 2008.

WILSON J. L *Carbonate Facies in Geologic History*. [S.l.]: Springer-Verlag, New York, 1975. 471 p.

WITKOWSKI, F.W; BLUNDELLA, D.J; GUTTERIDGE, P; HORBURY, A.D; OXTOBY, N.H; QING, H. Video Cathodoluminescence Microscopy of Diagenetic Cements and its Applications. *Marine and Petroleum Geology*, [S. l.], v. 17, p.1085-1093. 2000.